

NO. 73629

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office DEC 21 2005

Returned to applicant for correction JAN 18 2006

Corrected application filed _____

Map filed MAR 13 2006 under 73628T

The applicant **Robert Ithurralde and James P. Ithurralde** hereby make application for permission to change the **manner of use of a portion** of water heretofore appropriated under **permit 24827 (certificate 7944)**

1. The source of water is **underground (original well)**
2. The amount of water to be changed **0.502 cfs, not to exceed 3.0 acre-feet per year**
3. The water to be used for **stockwater (est. 1,000 sheep, 4 horses)**
4. The water heretofore permitted for **irrigation**
5. The water is to be diverted at the following point **Unchanged – SW $\frac{1}{4}$ SE $\frac{1}{4}$, Lot 19, Sec. 30, T20North, R53East MDB&M at a point from which the S $\frac{1}{4}$ corner of said Sec. 30 bears S. 43 degrees 12 minutes West a distance of 149 feet**
6. The existing permitted point of diversion is located within **SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 30, T20 North, R53 East, MDB&M at a point from which the S $\frac{1}{4}$ corner of said Sec. 30 bears S. 43 degrees 12 minutes West a distance of 149 feet**
7. Proposed place of use **Lot 19, SW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 30, T20 North, R53 East, MDB&M**
8. Existing place of use **0.75 acre in Lot 19 (SW $\frac{1}{4}$ SE $\frac{1}{4}$), Sec. 30, T20 North, R53 East, MDB&M**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Pipeline, troughs as required**
12. Estimated cost of works **\$10,000**
13. Estimated time required to construct works **approximately 1 years**
14. Estimated time required to complete the application of water to beneficial use **3 years**

15. Remarks: Water will be diverted from existing well and distributed to stockwatering facilities throughout place of use.

By James P. Ithurralde
s/ James P. Ithurralde
P. O. Box 26
Eureka, NV 89316

Compared gkl/sc lt/gkl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the manner of use of a portion of the waters of an underground source as heretofore granted under Permit 24827, Certificate 7944, is issued subject to the terms and conditions imposed in said Permit 24827, Certificate 7944, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The issuance of this permit is for the net consumptive use portion only, being 1.875 acre-feet, of the 3.0 acre-feet portion of the base right. The remainder, 1.125 acre-feet, remains in the groundwater source. The issuance of this permit abrogates 3.0 acre-feet from Permit 24827, Certificate 7944.

With the issuance of Permit 73629, Temporary Application 73628T is withdrawn.

(Continued on page 3)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.502 cubic feet per second, but not to exceed 1.875 acre-feet annually.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

February 28, 2008

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

February 28, 2010

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,
State Engineer of Nevada, have hereunto set
my hand and the seal of my office,
this 28th day of February, A.D. 2007

T. Taylor, P.E.
State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed N/A _____

Certificate No. _____ Issued _____